



Contribution ID: 139

Type: Oral Presentation

## Triboson Excesses in light of a Real Higgs Triplet Model

Wednesday 9 July 2025 09:20 (20 minutes)

In recent years, the “multilepton anomalies” have emerged, consisting of several persistent tensions in channels with multiple electrons and/or muons in the final states, with missing transverse energy and ( $b$ -) jets. These anomalies have prompted growing interest in the possibility of a new scalar particle beyond the Standard Model (SM).

In this context, excesses have been observed in the diphoton,  $Z\gamma$  and  $WW$  spectra, pointing toward the presence of a Higgs-like scalar  $S$  with mass  $m_S \approx 152 \pm 1$  GeV.

While these excesses suggest the existence of a new resonance, the  $ZZ$  final state remains consistent with Standard Model predictions, showing no significant deviation. This consistency can be naturally explained if the scalar  $S$  belongs to a Real Higgs Triplet (RHT) with hypercharge  $Y = 0$ , which does not couple to a pair of  $Z$  bosons at tree level. In such a scenario, charged and neutral triplet scalars can be produced via Drell-Yan processes and decay into electroweak gauge bosons, leading to enhancements in triboson final states such as  $WWW$ ,  $WWZ$ , and  $WZZ$ .

Recent ATLAS and CMS measurements of triboson processes report observed (expected) significances of  $6.4\sigma(4.7\sigma)$  in the  $VVZ$  channel and  $4.4\sigma(3.6\sigma)$  in  $WWZ$ . These can be interpreted as a possible link to the extended Higgs sector. In this study, we investigate whether the RHT Model with hypercharge  $Y = 0$  can accommodate these triboson excesses through Drell-Yan production of triplet scalars, which subsequently decay into electroweak bosons, leading to an enhancement in triboson final states. We explore the parameter space where  $S$  is identified as a component of the extended Higgs sector, with a small but nonzero diphoton branching ratio. Using Monte Carlo simulations, we analyze the predicted cross-sections for  $WWZ$ ,  $WZZ$ , and  $WWW$  production and compare them with current experimental data.

### Apply for student award at which level:

None

### Consent on use of personal information: Abstract Submission

Yes, I ACCEPT

**Primary author:** Dr BHATTACHARYA, Srimoy (School of Physics and Institute for Collider Particle Physics, University of the Witwatersrand)

**Co-authors:** Dr KUMAR, Mukesh (School of Physics and Institute for Collider Particle Physics, University of the Witwatersrand); Dr MAHARATHY, Siddharth P. (School of Physics and Institute for Collider Particle Physics, University of the Witwatersrand); Dr CRIVELLIN, Andreas (Physik-Institut, Universität Zürich); MELLADO, Bruce (University of the Witwatersrand); Dr MAZINI, Rachid (School of Physics and Institute for Collider Particle Physics, University of the Witwatersrand)

**Presenter:** Dr BHATTACHARYA, Srimoy (School of Physics and Institute for Collider Particle Physics, University of the Witwatersrand)

**Session Classification:** Nuclear, Particle and Radiation Physics-2

**Track Classification:** Track B - Nuclear, Particle and Radiation Physics